| General cleaning checklist – Spruce Lodge   |
|---|
| (For camp closing, camp opening and as needed)  |
|   |
| Bedrooms, living room, halls, stairs and closets  |
| ☐ Dust all furniture, appliances  |
| ☐ Dust or vacuum around wall lamps and receptacles                                      |
| □ Vacuum walls behind dressers, beds, etc   |
| ☐ Search and destroy cobwebs  |
| <ul> <li>Vacuum window &amp; door sills and casings</li> </ul>                          |
| <ul> <li>Vacuum corners at walls and ceilings</li> </ul>                                |
| <ul> <li>Vacuum stairs and balustrades</li> </ul>                                       |
| □ Vacuum all floors & rugs  |
| ☐ Spot clean floors with damp mop or cloth where needed                                 |
| ☐ Lay out old carpet in hall when closing camp (reverse for opening)                    |
| <ul> <li>Vacuum both sides of new hall carpet and pad and roll up separately</li> </ul> |
| Store in northwest bedroom closet   |
| Vacuum floor before rolling out old carpet  |
|   |
|   |
| Bathrooms   |
| □ Vacuum floors, corners at walls and ceilings, window & door casings                   |
| ☐ Clean mirrors, sinks, tubs, and toilets   |
| □ Damp mop floors   |
| ☐ Clean shower in northwest bedroom & wash shower curtain                               |
|   |
|   |
| Kitchen   |
| ☐ Clean ceiling fan body and blades   |
| □ Vacuum window seat, windows and casings   |
| ☐ Wipe mantle and occupants   |
| □ Vacuum fireplace, hearth around wood stove  |
| □ Clean mirror  |
| □ Wash with anti-bacterial cleaner, inside and outside:                                 |
| o Stove including back panel, counter space behind, burner pans, oven                   |
| door and bottom drawer, inside and outside  |
| o Microwave, toaster and top of dish cart   |
| o Kitchen table and countertops   |
| ☐ Clean all parts of coffee maker   |
| □ Wash dishes and put away  |

| ☐ Sort countertop utensil holders in two crocks                                 |
|---|
| <ul> <li>Metal implements for use with steel &amp; cast iron pans</li> </ul>    |
| <ul> <li>Plastic and wood utensils for use with non-stick pans</li> </ul>       |
| During camp closing: winterize wood stove, refrigerator & freezer at this point |
| if not already done   |
| ☐ Clean dish drainer & sink   |
| ☐ Sweep, vacuum and mop floor   |
|   |
| Exterior  |
| ☐ Restack shingles, kindling & woodpile as needed                               |
| ☐ Sweep porch floor and railings, search & destroy cobwebs                      |
| ☐ Sweep exterior of all 1st floor windows, doors & casings                      |
| ☐ Pick up branches on lawn  |
| □ Rake pine cones/pine needles  |
| □ Mow lawn  |
|   |

## **Camp Closing Instructions**

| Preparing camp for winter - Exterior  |
|---|
| Items to be stored in living room   |
| Keep a center aisle to the front door clear while storing the following items                 |
| Sweep off all surfaces of each item before storing, clean table tops                          |
| ☐ Move living room furniture back to edges to make room                                       |
| ☐ Take down porch lanterns  |
| <ul> <li>brush or vacuum cobwebs inside and out</li> </ul>                                    |
| o store lanterns on newspapers under the bench in northwest corner                            |
| ☐ Sweep off porch tables and place in living room parallel to long dimension                  |
| o picnic table in the middle of the floor east of centerline                                  |
| o green table in the middle west of centerline (in front of fireplace)                        |
| ☐ Sweep off porch swings and store one across each end of picnic table, facing                |
| inward  |
| ☐ Store canoes upside down across the green table (perpendicular)                             |
| ☐ Store Dave's Sailfish on floor in northeast corner  |
| o secure canvas cover and place on foam blocks  |
| o store sails, mast etc, standing in northeast corner   |
| ☐ Sweep off porch furniture before arranging under and around canoes                          |
| ☐ Remove garden tools from the back shed and place on swings and across                       |
| picnic table  |
| ☐ Drain and coil hoses and place on picnic table or canoes                                    |
| ☐ Store step ladder with canoes on green table  |
| ☐ Stand wheel barrow on end with plastic or cardboard under to protect floor                  |
| from rust   |
| ☐ Weber grill: wire brush racks, empty drip pan and wash exterior surfaces                    |
| <ul> <li>Store propane tank in boathouse, grill in living room.</li> </ul>                    |
| ☐ Front wooden step: sweep all surfaces before putting on front porch below                   |
| front east window   |
| ☐ Sweep off canoe racks and store on front porch by west window.                              |
|   |
| Winterize Garden  |
| The following would not be enough instructions for me to do it successfully, but this is what |
| Sharon gave me. I'm sure it makes sense to her.   |
| ☐ Collect plant containers to take home ☐ Pull weeds, edge, cut back perennials               |
| □ Pull weeds, edge, cut back perennials   |
| 0   |

| Preparing camp for winter – Interior   |  |
|--|--|
| Search pantry, cleaning supply closet, bathrooms, and laundry closet for items that        |  |
| might freeze or are full enough they might expand and burst (including cleaning            |  |
| fluids). Inventory and box for return in the spring.                                       |  |
|  |  |
| Winterize freezer in hall – can be done anytime before water is turned off                 |  |
| ☐ Remove the food from the hallway freezer and unplug the same freezer.                    |  |
| <ul> <li>Place two buckets of hot water in the hallway freezer to help it thaw.</li> </ul> |  |
| o Frequently sponge up the water on the bottom of the freezer.                             |  |
| ☐ Remove, wash and dry all removable parts.  |  |
| ☐ Wash interior and exterior surfaces and non-removable racks                              |  |
| ☐ While drying, clean behind and under freezer.  |  |
| ☐ Replace clean parts, turning drawers & trays upside down.                                |  |
| ☐ Prop doors of freezer open.  |  |
| ·  |  |
| Winterize pantry– can be done anytime before water is turned off                           |  |
| Inventory all items stored at camp and all items boxed to be returned in the spring.       |  |
| ☐ Inventory and pack unopened/mostly unused dry goods in metal containers                  |  |
| (pasta, pancake mix, bread crumbs).  |  |
| ☐ Flour and sugar canisters and spices can be inventoried and left on shelves.             |  |
| ☐ Remove anything that might freeze; inventory and box for storage and return              |  |
| in spring.   |  |
| ☐ Inventory and discard anything that is getting old or ready for replacement.             |  |
| ☐ Inventory all items that can be left, such as oils. Place on plastic trays in case       |  |
| of leaks   |  |
| ☐ Wipe down shelves with anti-bacterial cleaner.   |  |
| ☐ Check pans and wash any that are not clean   |  |
| •  |  |
| Pack up bedding, linens– can be done anytime before water is turned off*                   |  |
| Check all bathrooms, bedrooms, drawers and closet shelves.                                 |  |
| $\Box$ At closing, unlabelled linens that appear to be used and unwashed can be            |  |
| laundered or trashed: finder's choice.   |  |
| □ *Collect and launder towels and other linens. *  |  |
| ☐ Collect bath mats, throw rugs, mattress protectors and pads to wash at a                 |  |
| Laundromat.  |  |
| ☐ Collect unlabelled blankets, fold and place in built-in drawers.                         |  |
| ☐ Collect unlabelled sheets and towels, fold and place in built-in drawers.                |  |
| ☐ Add mothballs, approximately 8-12 scattered around per drawer.                           |  |
| ☐ Scatter a few mothballs in drawers with bagged linens to discourage nesting.             |  |

| Winterize beds – do anytime   |
|---|
| ☐ Store electric blanket and control in closet in bag provided                    |
| ☐ Remove all bedding and vacuum mattress; lift and vacuum box spring              |
| ☐ Flip mattress and vacuum other side   |
| ☐ Place pillows in center of bed  |
| ☐ Put the bedspreads on the beds so they can be tucked in tightly between the     |
| mattress and springs all the way around mattress                                  |
| ☐ Push mothballs under edge of mattress: one at each corner, three more along     |
| each side and one at each end (twin) or two at each end (full & queen)            |
|   |
| Plastic dust covers (kept in cardboard box in hallway) – do anytime               |
| ☐ Cover living room book cases with large plastic sheets                          |
| ☐ Cover with plastic bags   |
| Do not place plastic bags over lamps controlled by wall switches. Take off        |
| and bag shades  |
| o Items on kitchen counters, on top of kitchen cabinets and on top of             |
| refrigerator  |
| o Microwave, toaster, radio, potholder tray, "lazy susan" on table                |
| o Items on mantles (or cover mantles with smaller plastic sheets)                 |
| o Lamps, knick-knacks, arrangements   |
|   |
| Winterize wood stove – do anytime   |
| ☐ Gently remove loose surface rust on outside with a wire brush                   |
| ☐ Use wire brush to remove loose creosote deposits on inside door and above       |
| fire bricks   |
| ☐ Vacuum stove front & sides, then behind, below and around stove.                |
| ☐ If cold, remove chunks of unburnt wood and start a small fire with paper and    |
| kindling to warm stove surface.   |
| ☐ Rub peanut oil into top, side and front surfaces of stove with a low lint cloth |
| rag. Peanut oil is kept on pantry shelf with cooking oils.                        |
| ☐ Rub peanut oil into all surfaces of iron kettle and trivet.                     |
| ☐ Once cool, clean out ashes and use ash bucket to spread on back drive.          |
|   |
| Winterize refrigerator – do immediately before water is turned off                |
| ☐ Turn off the kitchen refrigerator with the temperature inside control knob.     |
| ☐ Remove refrigerator contents:   |
| o Inventory and box non-perishables (beer cans etc) for return in the             |
| spring  |

| o Pack perishables and frozen items in cooler/freezer chests, inventory for |
|---|
| replacement   |
| <ul> <li>Dispose of "past use-by-date" items</li> </ul>                     |
| ☐ Remove, wash and dry all removable parts                                  |
| ☐ Wash interior and exterior surfaces and non-removable racks               |
| ☐ While drying, clean behind and under refrigerator.                        |
| ☐ Replace clean parts, turning drawers & trays upside down                  |
| ☐ Prop doors open before leaving  |
|   |

| Prep for turning off water  |
|---|
| ☐ Use a toilet bowl brush to scrub the scum in all the toilet reservoirs so it will |
| flush out   |
| ☐ Find the shop vac and remove the paper filter inside it. You will be using        |
| the shop vac to suck water out of the traps, toilets and water pipes.               |
|   |
| Winterize the clothes washer: – can be done anytime before water is turned off      |
| ☐ Turn off the valves on the pipefittings by pulling their levers up so the levers  |
| are pointing straight up.   |
| ☐ Rotate the washer control knob to a position where it would try to fill the       |
| washer if the water was on. This is any wash cycle section.                         |
| ☐ Check that the temperature control knob is in the warm position.                  |
| ☐ Disconnect the hot and cold hoses from the pipefittings.                          |
| ☐ Turn on the washer by pulling the control knob out while sucking on the hot       |
| and cold hoses with the shop vac. Turning on the washer forces the fill             |
| solenoid valves open allowing air to get into the water hoses.                      |
| ☐ Once the water is sucked out of the hoses, turn the clothes washer off.           |
| ☐ Remove the drain hose from the drainpipe and use the shop vac to suck the         |
| water out of the drain hose.  |
| ☐ After the water is turned off to the house, the shut off valves should be         |
| opened by pushing their levers down so they are sticking straight out from          |
| the wall.   |
|   |
| Shut down water (start at least three hours before you want to leave)               |
| ☐ Fill two buckets with hot water to wash your hands with when you are done.        |
|   |
| ☐ Winterize the water heater as follows:  |
| ☐ Turn off the switch above the hot water heater and turn off the breaker for       |
| the hot water heater in the breaker panel.  |
| ☐ Close valve and loosen union fitting (to allow air flow) on feed line for         |
| water heater.   |
| ☐ Drain the hot water heater with the garden hose that is stored in the back        |
| shed.   |
|   |
| ☐ Winterize the water pump plumbing as follows:                                     |
| ☐ Take the shop vac to the boathouse  |
| ☐ Unplug the pump power cord and shut the valve that supplies water to the          |
| camp.   |

|       | Connect a garden hose to the bottom of the pressure tank and drain the water out the front of the boathouse.  |
|-------|---|
|       | Move the hose to the bottom of the water filter and drain it. After the filter is drained unscrew both water filters and set them on the shelf under the  |
|       | window.  Check that there is a nylon rope attached to the plastic suction pipe that goes out into the lake. Disconnect the shoreline side of the coupling on this pipe and drop the loose pipe into the lake.   |
|       | Place an aluminum pan under the two lower drain plugs of the pump. With a 9/16" wrench, remove the two pump drain plugs. Use the shop vac to suck up the water as it flows out of the pump. Put the pipe plugs on the shelf under the window.   |
|       | Vacuum any excess water out of the pump drain holes and any other open valves in the piping.  |
|       | Remove the ¼ inch copper tube between the pump and the pressure switch on the back of the pump with a 1/2 inch wrench. Drain any access water from this copper tube and reconnect the copper tube.  |
|       | Put a layer of motor oil on the threads in the pipe plugholes of the pump with your finger. This will reduce the amount of rust that will develop in the threads  |
|       |   |
| ъ.    | 11.4 1 1' 1'  |
|       | all the plumbing lines:   |
| Drain | all the plumbing lines:  Behind the cottage there are two utility access holes with two hand valves and two pipe plugs in each side. Open all the hand valves and remove all the pipe plugs. Place the pipe plugs in a coffee can inside the back door.   |
|       | Behind the cottage there are two utility access holes with two hand valves and two pipe plugs in each side. Open all the hand valves and remove all the   |
|       | Behind the cottage there are two utility access holes with two hand valves and two pipe plugs in each side. Open all the hand valves and remove all the pipe plugs. Place the pipe plugs in a coffee can inside the back door. Open the valve on the hose connection across the road behind the camp. Open all the faucets in the house including the showers. Go back to the boathouse and open the valve by the shoreline to drain the  |
|       | Behind the cottage there are two utility access holes with two hand valves and two pipe plugs in each side. Open all the hand valves and remove all the pipe plugs. Place the pipe plugs in a coffee can inside the back door. Open the valve on the hose connection across the road behind the camp. Open all the faucets in the house including the showers.  Go back to the boathouse and open the valve by the shoreline to drain the line going up to the house and all the cold water piping in the house. Inside the boathouse, reopen the ball valve that goes up to the camp that was shut earlier. Fully open and shut this valve several times. Then leave it  |
|       | Behind the cottage there are two utility access holes with two hand valves and two pipe plugs in each side. Open all the hand valves and remove all the pipe plugs. Place the pipe plugs in a coffee can inside the back door. Open the valve on the hose connection across the road behind the camp. Open all the faucets in the house including the showers.  Go back to the boathouse and open the valve by the shoreline to drain the line going up to the house and all the cold water piping in the house.  Inside the boathouse, reopen the ball valve that goes up to the camp that was   |
|       | Behind the cottage there are two utility access holes with two hand valves and two pipe plugs in each side. Open all the hand valves and remove all the pipe plugs. Place the pipe plugs in a coffee can inside the back door. Open the valve on the hose connection across the road behind the camp. Open all the faucets in the house including the showers.  Go back to the boathouse and open the valve by the shoreline to drain the line going up to the house and all the cold water piping in the house. Inside the boathouse, reopen the ball valve that goes up to the camp that was shut earlier. Fully open and shut this valve several times. Then leave it about half open. Do the same with the valve at the shoreline. Under the front porch do the following   |
|       | Behind the cottage there are two utility access holes with two hand valves and two pipe plugs in each side. Open all the hand valves and remove all the pipe plugs. Place the pipe plugs in a coffee can inside the back door. Open the valve on the hose connection across the road behind the camp. Open all the faucets in the house including the showers.  Go back to the boathouse and open the valve by the shoreline to drain the line going up to the house and all the cold water piping in the house.  Inside the boathouse, reopen the ball valve that goes up to the camp that was shut earlier. Fully open and shut this valve several times. Then leave it about half open. Do the same with the valve at the shoreline.  Under the front porch do the following  Open the garden hose faucet on the cold water line.  Remove the pipe cap at the end of the hot water line and open the drain |

| ☐ Flush all the toilets and use a piece of wood to block the reservoir flush  |
|---|
| valves open   |
| ☐ Remove the bottom feed pipe from the toilet reservoir in the southeast bedroom.   |
| ☐ Remove the trap under the kitchen sink and put it in the sink.  |
| ☐ Use the shop vac to suck as much water as possible out of the open cold   |
| water pipes in the utility access holes in the back of the camp.  |
| ☐ Vacuum all the water out of all the toilet reservoirs and toilet bowls.   |
| ☐ Vacuum the water out of the traps beneath the four trap plates. The traps are   |
| located by the toilets in the upstairs bedrooms and by the bathtubs in the  |
| southeast and southwest bedrooms.   |
|   |
| Antifreeze traps and fixtures   |
| ☐ Pour antifreeze into drains and fixtures as follows:  |
| o 1 cup into the sink and shower in the northwest bedroom and in the  |
| bathroom sink in the downstairs hallway   |
| o ½ cup of into the rest of the sinks (except the kitchen sink).  |
| o ½ cup in each of the toilet reservoirs, toilet bowls, and tub drains.   |
| ☐ Pour 1 cup of antifreeze into the clothes washing machine:  |
| <ul> <li>Put the drain hose in the drainpipe and start the washing machine in a<br/>drain cycle. Then quickly shut it off.</li> </ul> |
| o Pour another ½ cup of antifreeze into the top of the clothes washing  |
| machine.  |
| <ul> <li>Remove the drain hose from the drainpipe in the back of the washing</li> </ul>   |
| machine and drain as much water as possible into the foil pan on the  |
| floor.  |
| o Empty the foil pan and place it under the ends of the washing machine   |
| hoses.  |
| o Pour another cup of antifreeze down the drainpipe that the washing  |
| machine drained into.   |
| Finish water  |
| ☐ When the hot water heater is done draining, remove the garden hose.   |
| ☐ Drain the water out of the hose, coil it and put it on the picnic table in the  |
| living room.  |
| ☐ Vacuum as much water as possible out of the hot water heater. Close the   |
| drain on the hot water heater.  |
| ☐ Wipe up all the water that dripped on the floors with a rag.  |
|   |

| General  |
|--|
| ☐ Empty water jugs   |
| o Drain well. Store jugs on table in hall. (Do not cap unless dry inside.)   |
| ☐ Remove the batteries from the smoke detectors and the flashlights. Put the   |
| batteries in a glass ashtray in the kitchen cupboards to the left of the sink.   |
| ☐ Check that the toaster, coffee pot, microwave oven and radio are unplugged   |
| and covered.   |
| ☐ Unplug the two telephones and put them in the southeast bedroom clothes  |
| closet.  |
| ☐ Walk around the inside of the house to:  |
| <ul> <li>Empty and turn upside down all wastebaskets.</li> </ul>   |
| o Turn upside down all tissue boxes.   |
| <ul> <li>Check that all toilet seat lids are closed and tank lids are replaced.</li> </ul>   |
| o Check that all windows are closed and secured  |
| <ul> <li>Set a short nail in outside window sill if latch is not firm (1st floor)</li> </ul>   |
| o Open all interior doors slightly, especially closets (not the metal closets)   |
| o Check that everything is packed.   |
| ☐ Block the hallway freezer and refrigerator doors open with a piece of wood.  |
| ☐ Put the back door step on the front porch beneath the front east window.   |
| ☐ Place rat poison:  |
| o One open tray of D-con rat poison in each bedroom and two in kitchen   |
| o 1st floor bedrooms: tuck against the wall on hearth between fireplace  |
| and doorway  |
| o 2nd floor bedrooms: place behind the door, in the corner by the  |
| chimney  |
| o Kitchen: place one against the wall between the pantry and the paper   |
| rack and one in the corner behind the poker rack, on the opposite side of  |
| the hearth   |
| <ul> <li>○ D-con is available at Aubuchon Hardware in Tupper Lake</li> <li>□ Wash your hands with the hot water that was used to thaw out the freezer</li> </ul> |
| and empty the buckets in the woods.  |
| ☐ Lock the front sliding doors and wedge blocks of wood into the inside  |
| framework surrounding the doors.   |
| ☐ Check that all exterior doors are secured.   |
| ☐ Lock the back door.  |
| ☐ Bye Bye!   |
| <u> </u>   |
| OPENING  |
| wipe down pantry shelves before they are stocked   |